

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/039,341	12/31/2001	C. Douglass Thomas	CDTP006D1	3476
75	90 12/12/2006		EXAMINER	
C. Douglass Thomas 1193 Capri Drive			RIMELL, S	AMUEL G
. Campbell, CA			ART UNIT	PAPER NUMBER
			2164	

DATE MAILED: 12/12/2006

Please find below and/or attached an Office communication concerning this application or proceeding.



## UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION		ATTORNEY DOCKET NO.
10/039,341				
	,		EXAMINER	
			ART UNIT	PAPER
				20061210

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

**Commissioner for Patents** 

See Attached Notice with ONE MONTH extendable period for reply

Sam Rimell Primary Examiner Art Unit: 2164 Application/Control Number: 10/039,341 Page 2

Art Unit: 2164

The reply filed on September 22, 2006 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s):

No discussion or arguments are presented for the newly added claims 31-33.

37 CFR 1.111(b) states:

"The reply must present arguments pointing out the specific distinctions believed to render the claims, including any newly presented claims, patentable over any applied references."

See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE** (1) **MONTH or THIRTY** (30) **DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Sam Rimell Primary Examiner Art Unit 2164